

Contact Sheet



Europe

 **Austria**
Tel: + 43 4212 6400
Sparex Austria
Muraunberger Str
Hurzendorf 9300

 **Belgium / Lux**
Tel: + 32 58235140
Sparex Belgium Bvba
Toevluchtweg 9
B- 8620 Nieuwpoort

 **Denmark**
Tel: + 45 647 22287
Sparex Denmark
Sparex Limited ApS
Messevej 1
9600 Aars

 **France**
Tel: +33 2987 89234
Sparex S.A.R.L.
Zae De Ty Douar
Commana 29450

 **Germany**
Tel: + 49 4282 93100
Sparex Germany
Hansestrasse 03
Sittensen 27419

 **Ireland**
Tel: +353 51 855592
Sparex (Tractor Accessories) Ltd
Grannagh
Waterford
Ireland

 **Italy**
Tel: + 43 4212 6400
Sparex Austria
Muraunberger Str
Hurzendorf 9300

 **Netherlands**
Tel: + 31 235 841 020
Sparex Holland BV
Luzernstraat 19N
2153 GM Nieuw-Vennep

 **Poland**
Tel: +48 61 816 19 37
61-168 ul. Rataje 164, Poznań

 **Portugal**
Tel: +351 261 311107
Sparex Portugal, Importação
e Comércio de Peças,Lda.
Lugar da Espera 2565-716 Runa.

 **Spain**
Tel: + 349 451 33524
Sparex Agrirepuestos,S.L. C/Jose Maria
Iparraguirre
No.15 B
01006 Vitoria-Gasteiz (Alava)

 **UK**
Tel: +44 1392 441338
Sparex Limited
Exeter Airport Devon
Exeter EX5 2LJ

North America

 **Canada**
Tel: + 905 786 277
Sparex Canada Highway
No. 2 On Newcastle L1b 119

 **USA**
Tel: + 1 330 562 8150
Sparex US
PO Box 510
Aurora, OH 44202

Africa

 **South Africa**
Cape - Tel: +27 00 21 887 3575
KZN - Tel: + 27 31 573 1240
Cape branch
35 George Blake St,
Plankenburg
Stellenbosch 7600
KZN branch
59 Marseilles crescent
Briardene
Durban 4001

Australasia

 **Australia**
Tel: + 61 298 205 777
Sparex Australia Pty Ltd
81-83 Strzelecki Avenue,
Sunshine West, VIC 3020

 **New Zealand**
Tel: + 64 9634 4121
4 Princes Street Onehunga,
Auckland 1345

Sparex Export Markets

 **Export**
Tel: +44 1392 441314
Sparex Limited
Exeter Airport
Devon Exeter EX5 2LJ



MATERIAL SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: LOCTITE AUTOMOTIVE MUFFLER PUTTY

Product-Code: 476015

Intended use: Car-care product

Supplier:

HENKEL AUSTRALIA PTY. LIMITED
ADHESIVE TECHNOLOGIES
135-141 Canterbury Road
3137 Kilsyth, Victoria

Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER 03 9724 6556

SECTION 2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE:

Hazardous according to the criteria of ASCC.

Classification of material Xi - Irritant

Risk phrases:

R36/38 Irritating to eyes and skin.

Safety phrases:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 Wear suitable gloves.

S60 This material and its container must be disposed of as hazardous waste.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Kaolin	1332-58-7	30 - 60 %
Silicic acid, sodium salt > 2,6 <= 3,2, solution	1344-09-8	10 - 30 %
Remainder not hazardous including water~		30 - 60 %

SECTION 4. FIRST AID MEASURES

Ingestion: Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.
In case of adverse health effects seek medical advice.

Skin: Rinse immediately with plenty of running water, seek medical advice if necessary.



MATERIAL SAFETY DATA SHEET

Eyes: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Inhalation: Move to fresh air.
In case of adverse health effects seek medical advice.

First Aid facilities: Eye wash
Normal washroom facilities

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Use media appropriate for surrounding material.

Decomposition products in case of fire: Silica fume

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions and emergency procedures: Avoid contact with skin and eyes.
See advice in chapter 8

Clean-up methods: Sweep up or gather material and place in appropriate container for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: See advice in chapter 8

Conditions for safe storage: Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National exposure standards:

Ingredient	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
KAOLIN (INSPIRABLE DUST) 1332-58-7	Inspirable dust		10	-	-	-

Engineering controls: Ensure good ventilation/suction at the workplace.

Eye protection: Safety glasses.

Skin protection: Wear suitable protective clothing.
Suitable protective gloves.



MATERIAL SAFETY DATA SHEET

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Black
Paste
Density: 1.8 g/cm³
Solubility: Solvent: Water, Slightly soluble

SECTION 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of temperature and pressure.

Conditions to avoid: Avoid excessive heat and ignition sources.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

HEALTH EFFECTS:

Ingestion: Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Skin: Can cause skin irritation with prolonged contact.

Eyes: Contact with eyes can cause eye irritation.

Inhalation: May cause irritation to nose and throat.

Chronic effects: No chronic health effects are expected from the intended use of these products or from foreseeable handling of them in the workplace.

Toxicity data:

Acute oral toxicity:	Al-silicate Kaolin 1332-58-7	LD 50 (Rat) = 5,000 mg/kg
	Na-silicate > 2,6 < =3,2, solution 1344-09-8	LD 50 (Mouse) = 1,100 mg/kg LD 50 (Rat) = 1,100 - 1,600 mg/kg LD 50 (Rat) = 1.1 g/kg

SECTION 12. ECOLOGICAL INFORMATION

General ecological information: No toxicity information is available for the hazardous ingredient(s).
Do not empty into drains / surface water / ground water.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal of product: Dispose of according to Federal, State and local governmental regulations.



MATERIAL SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

SECTION 15. REGULATORY INFORMATION

SUSDP Poisons Schedule: None

SECTION 16. OTHER INFORMATION

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code
ASCC - Australian Safety and Compensation Council
SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons

Date of previous issue: 14.07.2006

Disclaimer: The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in this Material Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Material Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.