Contact Sheet



Europe



Austria

Tel: +43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



France

Tel: +33 2987 89234 Sparex S.A.R.L. Zae De Ty Douar Commana 29450





Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Germany

Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Spain

Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)





Denmark

Tel: + 45 647 22287 Sparex Denmark Sparex Limited ApS Messevej 1 9600 Aars





Ireland

Tel: +353 51 855592 Sparex (Tractor Accessories) Ltd Grannagh Waterford Ireland



Poland

Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Tel: +44 1392 441338 Sparex Limited **Exeter Airport Devon** Exeter EX5 2LJ

North America





Canada

Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119



USA

Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202

Africa



South Africa

Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

Australasia



Australia

Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345

Sparex Export Markets



Export

Tel: +44 1392 441314 Sparex Limited **Exeter Airport** Devon Exeter EX5 2LJ



SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: 569 THREAD SEALANT 250ML

Product-Code: 234475

Supplier:

HENKEL AUSTRALIA PTY. LIMITED ADHESIVE TECHNOLOGIES 135-141 Canterbury Road 3137 Kilsyth, Victoria

Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER 03 9724 6556

SECTION 2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE:

Hazardous according to the criteria of ASCC.

Classification of material Xi - Irritant

Risk phrases:

R43 May cause sensitisation by skin contact.

R36/37/38 Irritating to eyes, respiratory system and skin.

Safety phrases:

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 Wear suitable gloves and eye/face protection.

S46 If swallowed, seek medical advice immediately and show this container or label.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word:

HÄZARDOUS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Polyethylene glycol 200 dimethacrylate	25852-47-5	30 - 60 %
Hexanoic acid, 2-ethyl-, oxybis(2,1-ethanediyloxy-	18268-70-7	10 - 30 %
2,1-ethanediyl) ester		
Methacrylic acid, isobutyl ester, polymer with butyl	9011-53-4	10 - 30 %
methacrylate		
Cumene hydroperoxide	80-15-9	1 - < 3 %

Revision: 10.08.2010

Page 1 of 1 569 THREAD SEALANT 250ML



SECTION 4. FIRST AID MEASURES

Ingestion: Rinse mouth, do not induce vomiting, consult a doctor.

Skin: Rinse with running water and soap.

Remove contaminated clothing and footwear. If skin irritation persists, call a physician.

Eyes: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, foam, powder

Decomposition products in case of

fire:

Oxides of carbon. Irritating fumes.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions and

emergency procedures:

Avoid skin and eye contact.

Ensure adequate ventilation.

Environmental precautions: Do not let product enter drains.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling: Use only in well-ventilated areas.

Conditions for safe storage: Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National exposure standards:

none

Engineering controls: Ensure good ventilation/suction at the workplace.

Revision: 10.08.2010

Page 2 of 2 569 THREAD SEALANT 250ML



Eye protection: Safety goggles or safety glasses with side shields.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Neoprene gloves.

Butyl rubber gloves.

Natural rubber gloves.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown liquid Specific gravity: 1.049

Flash point: > 93.3 °C (> 199.94 °F) Solubility: Solvent: Water, Slight

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid: Excessive heat.

Incompatible materials: Reacts with strong oxidants.

Hazardous decomposition

products:

carbon monoxide

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

HEALTH EFFECTS:

Ingestion: Ingestion may cause stomach ache and vomiting.

Skin: May cause allergic skin reaction.

May cause skin irritation.

Eyes: Contact with eyes will cause irritation.

Inhalation: This product is irritating to the respiratory system.

Aggravated medical condition: Eye, skin, and respiratory disorders.

Acute oral toxicity: Cumene hydroperoxide LD L0 (Mouse) = 5,000 mg/kg

80-15-9

Revision: 10.08.2010

Page 3 of 3 569 THREAD SEALANT 250ML



SECTION 12. ECOLOGICAL INFORMATION

General ecological information: Cured Loctite products are typical polymers and do not pose any immediate

environmental hazards.

Do not empty into drains / surface water / ground water.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal of product: Dispose of in accordance with local and national regulations.

Recommended cleanser: Solvent naphtha

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

General information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

SECTION 15. REGULATORY INFORMATION

SUSDP Poisons Schedule: None

AICS: All components are listed or are exempt from listing on the Australian Inventory of

Chemical Substances (AICS).

SECTION 16. OTHER INFORMATION

Abbreviations/acronyms: ASCC - Australian Safety and Compensation Council

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons

Reason of change: Reviewed MSDS. Reissued with new date. involved chapters: 2-16

Disclaimer:

Revision: 10.08.2010

Page 4 of 4 569 THREAD SEALANT 250ML



The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in this Material Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Material Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

Revision: 10.08.2010

Page 5 of 5 569 THREAD SEALANT 250ML