

Contact Sheet



Europe

 **Austria**
Tel: + 43 4212 6400
Sparex Austria
Muraunberger Str
Hurzendorf 9300

 **Belgium / Lux**
Tel: + 32 58235140
Sparex Belgium Bvba
Toevluchtweg 9
B- 8620 Nieuwpoort

 **Denmark**
Tel: + 45 647 22287
Sparex Denmark
Sparex Limited ApS
Messevej 1
9600 Aars

 **France**
Tel: +33 2987 89234
Sparex S.A.R.L.
Zae De Ty Douar
Commana 29450

 **Germany**
Tel: + 49 4282 93100
Sparex Germany
Hansestrasse 03
Sittensen 27419

 **Ireland**
Tel: +353 51 855592
Sparex (Tractor Accessories) Ltd
Grannagh
Waterford
Ireland

 **Italy**
Tel: + 43 4212 6400
Sparex Austria
Muraunberger Str
Hurzendorf 9300

 **Netherlands**
Tel: + 31 235 841 020
Sparex Holland BV
Luzernstraat 19N
2153 GM Nieuw-Vennep

 **Poland**
Tel: +48 61 816 19 37
61-168 ul. Rataje 164, Poznań

 **Portugal**
Tel: +351 261 311107
Sparex Portugal, Importação
e Comércio de Peças,Lda.
Lugar da Espera 2565-716 Runa.

 **Spain**
Tel: + 349 451 33524
Sparex Agrirepuestos,S.L. C/Jose Maria
Iparraguirre
No.15 B
01006 Vitoria-Gasteiz (Alava)

 **UK**
Tel: +44 1392 441338
Sparex Limited
Exeter Airport Devon
Exeter EX5 2LJ

North America

 **Canada**
Tel: + 905 786 277
Sparex Canada Highway
No. 2 On Newcastle L1b 119

 **USA**
Tel: + 1 330 562 8150
Sparex US
PO Box 510
Aurora, OH 44202

Africa

 **South Africa**
Cape - Tel: +27 00 21 887 3575
KZN - Tel: + 27 31 573 1240
Cape branch
35 George Blake St,
Plankenburg
Stellenbosch 7600
KZN branch
59 Marseilles crescent
Briardene
Durban 4001

Australasia

 **Australia**
Tel: + 61 298 205 777
Sparex Australia Pty Ltd
81-83 Strzelecki Avenue,
Sunshine West, VIC 3020

 **New Zealand**
Tel: + 64 9634 4121
4 Princes Street Onehunga,
Auckland 1345

Sparex Export Markets

 **Export**
Tel: +44 1392 441314
Sparex Limited
Exeter Airport
Devon Exeter EX5 2LJ

NO: LSCM2016-2

Product Name: LR1865SK

Revision Date: 2016-01-21

Compiler: Gao Jinhui

Checker: Zhou bo

Approver: Wang Xiaodan



Tianjin Lishen Battery Co.,Ltd.

SAFETY DATA SHEET

Li-Battery

SECTION1 PRODUCT AND COMPANY IDENTIFICATION

Product name: LR1865SK (2600mAh/9.36Wh/3.6V)
Company: Tianjin Lishen Battery Joint-Stock Co. Ltd
Address: 6 Lanyuan Road, Huayuan Hi-Tech Industry Park, TianJin, China.
Email: Gjh@lishen.com.cn
Fax: 86-022-83710366
Emergency Phone: 86-022-83710366
SDS Number: LSCM2016-2
SDS Date: 2016-01-21

SECTION2 HAZARDS IDENTIFICATION

Hazards Identification:

The battery has passed the test items of UN Model Regulations, Manual of Test and Criteria Section UN 38.3. It is not restricted to IATA 57 revision and IMO 35-10 revision.

Emergency Overview:

Avoid contact and inhalation the electrolyte contained inside the battery.

SECTION3 INFORMATION ON INGREDIENTS

Product name: LR1865SK

INGREDIENT	CONCENTRATION	CAS NO.	EC NO.
Aluminum Foil	3-5	7429-90-5	
Metal Oxide (proprietary)	30-40	Confidential	
Copper Foil	6-9	7440-50-8	
Carbon (proprietary)	15-20	7440-44-0	
Electrolyte (proprietary)	8-13	Confidential	

SECTION4 FIRST-AID MEASURES

Skin Exposure:

If the internal battery materials of an opened battery cell come into contact with the skin, immediately flush with plenty of water.

Eye Exposure:

In case of contact with eye, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Inhalation Exposure:

If potential for exposure to nickel fumes or dusts occurs, remove immediately to fresh air and seek medical attention.

Oral Exposure:

If swallowed, do not induce vomiting. Seek immediate medical attention.

SECTION5 FIRE FIGHTING MEASURES

Extinguishing Media:

Use extinguishing media suitable for the materials that are burning.

Firefighting:

Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

SECTION6 ACCIDENTAL RELEASE MEASURES

Procedure of Personal Precaution:

ON LAND

Place material into suitable containers and call local fire/police department.

IN WATER

If possible, remove from water and call local fire/police department.

SECTION7 HANDLING AND STORAGE

HANDLING

No special protective clothing required for handling individual cells.

STORAGE

Stored in a cool, dry place.

SECTION8 EXPOSURE CONTROL/PPE

Engineering Controls:

Use ventilation equipment if available. Safety shower and eye bath.

Personal Protective Equipment:

Respiratory System: Not necessary under conditions of normal use.

Eyes: Not necessary under conditions of normal use.

Clothing: Wear appropriate protective clothing.

Other Protect:

No smoking, drinking and eating at working site. Wash thoroughly after handling.

SECTION9 PHYSICAL/CHEMICAL PROPERTIES

State	Solid
Odor	N/A
PH	N/A
Vapor pressure	N/A
Vapor density	N/A
Boiling point	N/A
Solubility in water	Insoluble
Specific gravity	N/A
Density	N/A

SECTION10 STABILITY AND REACTIVITY

Stability:

Stability during normal operation.

Conditions to Avoid:

Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

Materials to Avoid:

None during normal operation. Avoid exposure to heat, open flame, and corrosives.

Hazardous Polymerization: None

Hazardous Decomposition Products:

None during normal operating conditions. If cells are opened, hydrogen fluoride

and carbon monoxide may be released.

SECTION11 TOXICOLOGICAL INFORMATION

Toxicity Data:

Not available.

Irritation Data:

This product does not elicit toxicological properties during routine handling and use.

Sensitization:	Teratogenicity:	Reproductive toxicity:	Acute toxicity:
NO	NO	NO	NO

This product does not contain any kinds of the following substances and halogen-type flame retardants including Chlorine and Bromide type harmful flame retardants which are listed in Appendix of TCO documents and relevant international ECO requirements:

Polybromated Biphenyls (PBB)
Polybromated Biphenyl Ethers (PBBE)
Polybromated Biphenyl Oxides (PBBO)
Polybromated Diphenylethers (PBDE)
Polychlorinated Biphenyl (PCB)
Polychlorinated Diphenylethers (PCDE)
Tetrabromophenol A (TBBPA)

Asbestos, Antimonytrioxide, Dioxine

None of the following substances will be exposed, leaked, or emitted during transportation, storage or any operation and any temperature condition:

Chlorinated Fluorohydrocarbon (FCKW)
Acrylonitrile
Styrol
Phenol
Benzol
Mercury of greater than 0.0001 wt% for alkaline battery
Mercury of greater than 0.0005 wt% for other battery
Lithium content of greater than 0.6g/battery cell
Cadmium, lead, and other harmful heavy metal

And will comply with the regulation of 49 CFR (DOT regulation), International Air Transport Association (IATA), and Deuche Forschungsgemeinschaft (DFG) regarding concentrations of emitted substances.

This product does not contain mercury and lithium-metal.

Mercury content: <

Lithium-metal content: <

If the cells are opened through misuse or damage, discard immediately. Internal components of cell are irritants and sensitizers.

SECTION12 ECOLOGICAL INFORMATION

No data available.

SECTION13 DISPOSAL CONSIDERATION

Appropriate Method of Disposal of Substance:

Product(waste from residues)

Do not throw out a used battery cell. Recycle it through the recycling company.

Contaminated packaging

Neither a container nor packing is contaminated during normal use. When internal materials leaked from a battery cell contaminates, dispose as industrial wastes subject to special control.

RCRA Waste Code: Nonregulated

Dispose of according to all federal, state, and local regulations.

SECTION14 TRANSPORT INFORMATION

Shipping Name: Lithium ion batteries

Hazard Class: 9*

UN Number: DOT-COC-2014-REV5-40

Packing Group: II*

Codes and classifications according to:

*International regulations for transport Air IATA-DGR 57th Edition: Section II OF PI965/966/967;

*International regulations for transport Sea IMDG CODE: Special Provision 188;

*National regulations for transport land GB12268-2005

SECTION15 REGULATORY INFORMATION

OSHA hazard communication standard (29 CFR 1910.1200)

 Hazardous ✓ Non-hazardous

SECTION16 OTHER INFORMATION

Date: 2016-01-21

Department: Prepared and Approved By

TianJin Lishen Battery Company

Cell R&D Center

Tel(Fax): 86-022-83710366

Revision: 0

Other Information: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.