



SAFETY DATA SHEET

Tru Blu Oil Australia Pty Ltd
ABN: 12 052 169 052
6 Dunlop Court, Bayswater,
Victoria 3153 Australia
P: +61 (3) 9720 4400
F: +61 (3) 9720 5821
www.trubluoil.com.au
sales@trubluoil.com.au

Product Name: XEP222 Multi-Purpose Blue 2 Grease

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name TRU-BLU OIL AUSTRALIA PTY LTD
Address 6 Dunlop Court, Bayswater, Victoria, AUSTRALIA, 3153
Telephone (03) 9720 4400
Fax (03) 9720 5821
Emergency 0412 609 722
Email technical@trubluoil.com.au
Web Site <http://www.trubluoil.com.au/>

Synonym(s) Multi Blue 222.

Use(s) Grease • Lubricant

SDS Date 6th February, 2017

2. HAZARDS IDENTIFICATION

GHS classification of substance / mixture

Not Classified as Hazardous according to the Global Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road & Rail (7th edition).

3. COMPOSITION/ INFORMATION ON INGREDIENTS

| Name | CAS | Proportion |
|--|-----|------------|
| All ingredients determined not to be hazardous | | Balance |

4. FIRST AID MEASURES

Swallowed DO NOT induce vomiting. Immediately wash out mouth with water, and then give plenty of water to drink. Seek medical attention.

Eye Rinse eyes immediately with water for at least 15 minutes.
In case of irritation, seek medical advice.

Skin Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops and persists, seek medical attention. Should grease be accidentally injected under the skin no matter how minor, seek IMMEDIATE medical attention.

Inhaled Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops and persists, seek medical attention. Should grease be accidentally injected under the skin no matter how minor, seek IMMEDIATE medical attention.

First Aid Facilities Remove the patient to fresh air. Ensure airways are clear and have qualified person give oxygen through a facemask if breathing is difficult. If irritation develops, seek medical attention.

Advice to Doctor No special facilities required. Treat symptomatically.
NOTE: High Pressure Applications: Injections under the skin resulting from contact with high pressure, constitutes a major medical emergency. Injuries may not appear serious at first but

Product Name: XEP222 Multi-Purpose Blue 2 Grease

within a few hours, tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis.

Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that the high pressure may force the product considerable distance along tissue.

5. FIRE FIGHTING MEASURES

| | |
|--|---|
| Fire/Explosion Hazard: | Classified as C2 (Combustible liquid). |
| Extinguishing Media: | Use water as fog or spray to cool fire exposed containers. Do not use direct stream of water; product will float, possibly re-igniting. |
| Fire Fighting Precautions: | Self-Contained Breathing Apparatus (SCBA) and full protective clothing should be worn. |
| Flash Point: | > 240°C (COC). |
| Hazchem Code: | None allocated. |
| Hazards from Combustion Products: | Oxides of carbon. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|-------------------------|---|
| Spills Procedure | SMALL - 20 LITRES OR LESS Soak up with inert oil absorbent. Arrange for disposal through an approved facility. LARGE - GREATER THAN 20 LITRES Remove all sources of ignition. Increase ventilation. Evacuate all unnecessary personnel. Wear full protective equipment and clothing to minimise exposure. If possible contain the spill. Place inert absorbent material such as vermiculite, sand or dirt onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority. |
|-------------------------|---|

7. STORAGE AND HANDLING

| | |
|-----------------------------|---|
| Handling: | Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin disorders. It is essential that all who come into contact, maintain high standards of personal hygiene ie. washing hands prior to eating, drinking or going to the toilet. Build-up of mists in the working atmosphere must be prevented. Misuse of empty containers can be hazardous. Do not cut, weld, heat or drill containers. Residue may ignite with explosive violence if heated sufficiently. Do not pressurise or expose to open flame or heat. Keep container closed and bung in place. |
| Storage Precautions: | Classified as a combustible substance for storage and handling purposes. Store in a cool, dry, well-ventilated area, out of direct sunlight. Avoid sparks, flames, and other ignition sources. Store away from incompatible materials such as materials that support combustion (oxidising materials). Reference should be made to Australian Standard AS1940- The storage and handling of flammable and combustible liquids. |

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Limits: No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC). However, Exposure Standards for constituents are listed below.

| SUBSTANCE | TWA | | STEL | |
|-------------------|-----|-------------------|------|-------------------|
| | ppm | mg/m ³ | ppm | mg/m ³ |
| Oil mist, mineral | - | 5 | - | 10 |

Exposure Standard means the average concentration of a particular substance in the worker's breathing zone, exposure to which, according to current knowledge, should not cause adverse health effects nor cause undue discomfort to nearly all workers. It can be of three forms; time-weighted average (TWA), peak limitation, or short-term exposure limit (STEL).

Biological Limit Values: No biological limit allocated.

Engineering Control: The use of mechanical dilution ventilation is recommended whenever this product is used in a confined space, is heated above ambient temperatures or otherwise to maintain ambient concentration below the recommended threshold exposure limits.

Respirator Type: Avoid breathing vapours or mists. Select and use respirators in accordance with AS/NZS 1715/1716. When vapours are generated, the use of the following is recommended: Half face piece respirator with dust/mist filters. The appropriate filter capacity and respirator type will depend on exposure levels encountered.

Eye Protection: Chemical safety goggles (AS/NZS 1337) are recommended. If handled hot, a full face shield should be worn.

Glove Type: Use of impervious rubber gloves are recommended (AS/NZS 2161.1).

Clothing: Clothing should be suitable to avoid product contacting the skin on a prolonged or repeated basis.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------|-------------------------------|
| Appearance | Smooth tacky blue grease |
| Odour | Negligible |
| Melting Point | > 250°C |
| Boiling Point | Not available |
| Vapour Pressure | Not available |
| Vapour Density | Not available |
| pH | Not applicable |
| Specific Gravity | Approx. 0.9 g/cm ³ |
| Flashpoint | > 240°C (COC) |
| Flamm. Limit LEL | Not available |
| Flamm. Limit UEL | Not available |
| Solubility in Water | < 0.1 g/l |

Other Properties

Worked Penetration
270 – 290 @ 250°

10. STABILITY AND REACTIVITY

| | |
|--|---|
| Stability: | Stable under normal conditions of storage and handling. |
| Conditions to Avoid: | None allocated. |
| Incompatible Materials: | Strong oxidising agents. |
| Hazardous Decomposition Products: | Oxides of carbon. |
| Hazardous Reactions: | No hazardous polymerisation will occur. |

11. TOXICOLOGICAL INFORMATION

| | |
|---------------------------|--|
| Toxicology: | The classification as a carcinogen need not apply in this case as the main constituents in this product are in accordance with Note L of the NOHSC Designated List of Hazardous Substances (containing less than 3% DMSO extract as measured by IP 346). |
| Acute – Swallowed: | May cause irritation to the mouth, oesophagus and stomach. Symptoms may include nausea, vomiting and diarrhoea. |
| Acute – Eye: | May cause slight to moderate eye irritation, resulting in redness and stinging. |
| Acute – Skin: | May dry and defat the skin, resulting in skin irritation and possible dermatitis. Grease accidentally injected under the skin can result in local necrosis and tissue damage. |
| Acute – Inhaled: | May cause irritation to the mucous membrane and upper airways, especially if the material is heated or mists are generated and/or is used in poorly ventilated areas. Symptoms may include headache, dizziness and nausea. |
| Chronic: | Prolonged or repeated contact with this material may result in skin irritation leading to dermatitis. |

12. ECOLOGICAL INFORMATION

| | |
|---------------------------------------|---|
| Ecotoxicity: | No ecotoxicological classifications. |
| Persistence and Degradability: | This product is inherently biodegradable. |
| Mobility: | Spillages are unlikely to penetrate the soil. |

13. DISPOSAL CONSIDERATIONS

| | |
|--------------------------------------|---|
| Disposal Method: | Dispose of waste according to federal, EPA, state and local regulations. Assure conformity with all applicable regulations. |
| Special Disposal Precautions: | None allocated. |

14. TRANSPORT INFORMATION

| | |
|---------------------------------|--|
| UN Number: | None allocated |
| UN Proper Shipping Name: | None allocated |
| DG Class: | Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. |

Note: Combustible materials may be classified as Class 9: miscellaneous dangerous goods if transported with flammable materials. See ADG code for further information.

| | |
|--------------------------------------|----------------|
| Packaging Group: | None allocated |
| Hazchem Code: | None allocated |
| Special Transport Precaution: | None allocated |

15. REGULATORY INFORMATION

AICS: All ingredients present on AICS.

16. OTHER INFORMATION

Acronyms

| | |
|-------------------|--|
| ABN: | Australian Business Number. |
| ACGIH: | American Conference of Governmental Industrial Hygienists. |
| ADG: | Australian Dangerous Goods. |
| AEST: | Australian Eastern Standard Time. |
| AICS: | Australian Inventory of Chemical Substances. |
| CAS: | Chemical Abstracts Service Registry Number. |
| COC: | Cleveland Open Cup. |
| DG Class: | Dangerous Goods Class. |
| EPA: | Environment Protection Agency. |
| Hazchem: | Code of numbers and letters which gives information to emergency services. |
| IP: | Institute of Petroleum. |
| PMCC: | Pensky-Martens Closed Cup. |
| NOHSC: | Pensky-Martens Closed Cup. |
| SUSDP: | Standard for the Uniform Scheduling of Drugs and Poisons. |
| UN Number: | United Nations Number. |

REPORT STATUS:

This MSDS has been prepared by Tru-Blu Oil using the most current information available at the time of issuing. Tru-Blu Oil accepts no liability (as lawfully allowed) for any loss, injury or damage which may have been suffered or incurred by any person as a consequence of their reliance on information that is contained in this MSDS.

MSDS Date: 17th September 2015

End of MSDS